

CERTIFICATE OF COMPLIANCE

Certificate Number 20180703-E306515
Report Reference E306515-20150716
Issue Date 2018-JULY-03

Issued to: Trina Solar Co.,Ltd
No.2 Tian he Road Trina PV Industrial Park
New District
Changzhou
Jiangsu 213031 CHINA

This is to certify that representative samples of PHOTOVOLTAIC MODULES AND PANELS WITH SYSTEM VOLTAGE RATINGS OVER 600 VOLTS
Refer to the Addendum Page for Models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1703 and ULC/ORD-C1703-01, Flat-Plate Photovoltaic Modules and Panels

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180703-E306515
Report Reference E306515-20150716
Issue Date 2018-JULY-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Photovoltaic Module, Models:

TSM-245PE05A, TSM-250PE05A (*), TSM-255PE05A (*), TSM-260PE05A (*), TSM-265PE05A (*), TSM-270PE05A, TSM-275PE05A, TSM-280PE05A, TSM-285PE05A, TSM-290PE05A, TSM-295PE05A;

TSM-245PE05A.08, TSM-250PE05A.08 (*), TSM-255PE05A.08 (*), TSM-260PE05A.08 (*), TSM-265PE05A.08 (*), TSM-270PE05A.08, TSM-275PE05A.08, TSM-280PE05A.08, TSM-285PE05A.08, TSM-290PE05A.08, TSM-295PE05A.08;

TSM-290PE14A, TSM-295PE14A, TSM-300PE14A (*), TSM-305PE14A (*), TSM-310PE14A (*), TSM-315PE14A (*), TSM-320PE14A, TSM-325PE14A, TSM-330PE14A, TSM-335PE14A, TSM-340PE14A, TSM-345PE14A, TSM-350PE14A;

TSM-290PE14A.08, TSM-295PE14A.08, TSM-300PE14A.08 (*), TSM-305PE14A.08 (*), TSM-310PE14A.08 (*), TSM-315PE14A.08 (*), TSM-320PE14A.08, TSM-325PE14A.08, TSM-330PE14A.08, TSM-335PE14A.08, TSM-340PE14A.08, TSM-345PE14A.08, TSM-350PE14A.08;


TSM-260DE05A(II), TSM-265DE05A(II), TSM-270DE05A(II), TSM-275DE05A(II), TSM-280DE05A(II), TSM-285DE05A(II), TSM-290DE05A(II), TSM-295DE05A(II), TSM-300DE05A(II), TSM-305DE05A(II), TSM-310DE05A(II), TSM-315DE05A(II);

TSM-260DE05A.08(II), TSM-265DE05A.08(II), TSM-270DE05A.08(II), TSM-275DE05A.08(II), TSM-280DE05A.08(II), TSM-285DE05A.08(II), TSM-290DE05A.08(II), TSM-295DE05A.08(II), TSM-300DE05A.08(II), TSM-305DE05A.08(II), TSM-310DE05A.08(II), TSM-315DE05A.08(II);

TSM-315DE14A(II), TSM-320DE14A(II), TSM-325DE14A(II), TSM-330DE14A(II), TSM-335DE14A(II), TSM-340DE14A(II), TSM-345DE14A(II), TSM-350DE14A(II), TSM-355DE14A(II), TSM-360DE14A(II), TSM-365DE14A(II), TSM-370DE14A(II), TSM-375DE14A(II);

TSM-315DE14A.08(II), TSM-320DE14A.08(II), TSM-325DE14A.08(II), TSM-330DE14A.08(II), TSM-335DE14A.08(II), TSM-340DE14A.08(II), TSM-345DE14A.08(II), TSM-350DE14A.08(II), TSM-355DE14A.08(II), TSM-360DE14A.08(II), TSM-365DE14A.08(II), TSM-370DE14A.08(II), TSM-375DE14A.08(II);

TSM-255PE05H/05H(II), TSM-260PE05H/05H(II), TSM-265PE05H/05H(II), TSM-270PE05H/05H(II), TSM-275PE05H/05H(II), TSM-280PE05H/05H(II), TSM-285PE05H/05H(II), TSM-290PE05H/05H(II), TSM-295PE05H/05H(II), TSM-300PE05H/05H(II), TSM-305PE05H/05H(II), TSM-310PE05H/05H(II);



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180703-E306515
Report Reference E306515-20150716
Issue Date 2018-JULY-03

TSM-255PE05H.08/.08(II), TSM-260PE05H.08/.08(II), TSM-265PE05H.08/.08(II),
TSM-270PE05H.08/.08(II), TSM-275PE05H.08/.08(II), TSM-280PE05H.08/.08(II),
TSM-285PE05H.08/.08(II), TSM-290PE05H.08/.08(II), TSM-295PE05H.08/.08(II),
TSM-300PE05H.08/.08(II), TSM-305PE05H.08/.08(II), TSM-310PE05H.08/.08(II);

TSM-255PE05H.10/.10(II), TSM-260PE05H.10/.10(II), TSM-265PE05H.10/.10(II),
TSM-270PE05H.10/.10(II), TSM-275PE05H.10/.10(II), TSM-280PE05H.10/.10(II),
TSM-285PE05H.10/.10(II), TSM-290PE05H.10/.10(II), TSM-295PE05H.10/.10(II),
TSM-300PE05H.10/.10(II), TSM-305PE05H.10/.10(II), TSM-310PE05H.10/.10(II);

TSM-255PE05H.18/.18(II), TSM-260PE05H.18/.18(II), TSM-265PE05H.18/.18(II),
TSM-270PE05H.18/.18(II), TSM-275PE05H.18/.18(II), TSM-280PE05H.18/.18(II),
TSM-285PE05H.18/.18(II), TSM-290PE05H.18/.18(II), TSM-295PE05H.18/.18(II),
TSM-300PE05H.18/.18(II), TSM-305PE05H.18/.18(II), TSM-310PE05H.18/.18(II);


TSM-305PE14H/14H(II), TSM-310PE14H/14H(II), TSM-315PE14H/14H(II),
TSM-320PE14H/14H(II), TSM-325PE14H/14H(II), TSM-330PE14H/14H(II),
TSM-335PE14H/14H(II), TSM-340PE14H/14H(II), TSM-345PE14H/14H(II),
TSM-350PE14H/14H(II), TSM-355PE14H/14H(II), TSM-360PE14H/14H(II),
TSM-365PE14H/14H(II), TSM-370PE14H/14H(II);

TSM-305PE14H.08/.08(II), TSM-310PE14H.08/.08(II), TSM-315PE14H.08/.08(II),
TSM-320PE14H.08/.08(II), TSM-325PE14H.08/.08(II), TSM-330PE14H.08/.08(II),
TSM-335PE14H.08/.08(II), TSM-340PE14H.08/.08(II), TSM-345PE14H.08/.08(II),
TSM-350PE14H.08/.08(II), TSM-355PE14H.08/.08(II), TSM-360PE14H.08/.08(II),
TSM-365PE14H.08/.08(II), TSM-370PE14H.08/.08(II);

TSM-305PE14H.10/.10(II), TSM-310PE14H.10/.10(II), TSM-315PE14H.10/.10(II),
TSM-320PE14H.10/.10(II), TSM-325PE14H.10/.10(II), TSM-330PE14H.10/.10(II),
TSM-335PE14H.10/.10(II), TSM-340PE14H.10/.10(II), TSM-345PE14H.10/.10(II),
TSM-350PE14H.10/.10(II), TSM-355PE14H.10/.10(II), TSM-360PE14H.10/.10(II),
TSM-365PE14H.10/.10(II), TSM-370PE14H.10/.10(II);

TSM-305PE14H.18/.18(II), TSM-310PE14H.18/.18(II), TSM-315PE14H.18/.18(II),
TSM-320PE14H.18/.18(II), TSM-325PE14H.18/.18(II), TSM-330PE14H.18/.18(II),
TSM-335PE14H.18/.18(II), TSM-340PE14H.18/.18(II), TSM-345PE14H.18/.18(II),
TSM-350PE14H.18/.18(II), TSM-355PE14H.18/.18(II), TSM-360PE14H.18/.18(II),
TSM-365PE14H.18/.18(II), TSM-370PE14H.18/.18(II);

TSM-275DE05H(II), TSM-280DE05H(II), TSM-285DE05H(II), TSM-290DE05H(II),
TSM-295DE05H(II), TSM-300DE05H(II), TSM-305DE05H(II), TSM-310DE05H(II),
TSM-315DE05H(II), TSM-320DE05H(II), TSM-325DE05H(II), TSM-330DE05H(II),
TSM-335DE05H(II), TSM-340DE05H(II);



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180703-E306515
Report Reference E306515-20150716
Issue Date 2018-JULY-03

TSM-275DE05H.08(II), TSM-280DE05H.08(II), TSM-285DE05H.08(II),
TSM-290DE05H.08(II), TSM-295DE05H.08(II), TSM-300DE05H.08(II),
TSM-305DE05H.08(II), TSM-310DE05H.08(II), TSM-315DE05H.08(II),
TSM-320DE05H.08(II), TSM-325DE05H.08(II), TSM-330DE05H.08(II),
TSM-335DE05H.08(II), TSM-340DE05H.08(II);

TSM-275DE05H.10(II), TSM-280DE05H.10(II), TSM-285DE05H.10(II),
TSM-290DE05H.10(II), TSM-295DE05H.10(II), TSM-300DE05H.10(II),
TSM-305DE05H.10(II), TSM-310DE05H.10(II), TSM-315DE05H.10(II),
TSM-320DE05H.10(II), TSM-325DE05H.10(II), TSM-330DE05H.10(II),
TSM-335DE05H.10(II), TSM-340DE05H.10(II);


TSM-275DE05H.18(II), TSM-280DE05H.18(II), TSM-285DE05H.18(II),
TSM-290DE05H.18(II), TSM-295DE05H.18(II), TSM-300DE05H.18(II),
TSM-305DE05H.18(II), TSM-310DE05H.18(II), TSM-315DE05H.18(II),
TSM-320DE05H.18(II), TSM-325DE05H.18(II), TSM-330DE05H.18(II),
TSM-335DE05H.18(II), TSM-340DE05H.18(II);

TSM-335DE14H(II), TSM-340DE14H(II), TSM-345DE14H(II), TSM-350DE14H(II),
TSM-355DE14H(II), TSM-360DE14H(II), TSM-365DE14H(II), TSM-370DE14H(II),
TSM-375DE14H(II), TSM-380DE14H(II), TSM-385DE14H(II), TSM-390DE14H(II),
TSM-395DE14H(II), TSM-400DE14H(II), TSM-405DE14H(II), TSM-410DE14H(II);

TSM-335DE14H.08(II), TSM-340DE14H.08(II), TSM-345DE14H.08(II),
TSM-350DE14H.08(II), TSM-355DE14H.08(II), TSM-360DE14H.08(II),
TSM-365DE14H.08(II), TSM-370DE14H.08(II), TSM-375DE14H.08(II),
TSM-380DE14H.08(II), TSM-385DE14H.08(II), TSM-390DE14H.08(II),
TSM-395DE14H.08(II), TSM-400DE14H.08(II), TSM-405DE14H.08(II),
TSM-410DE14H.08(II);

TSM-335DE14H.10(II), TSM-340DE14H.10(II), TSM-345DE14H.10(II),
TSM-350DE14H.10(II), TSM-355DE14H.10(II), TSM-360DE14H.10(II),
TSM-365DE14H.10(II), TSM-370DE14H.10(II), TSM-375DE14H.10(II),
TSM-380DE14H.10(II), TSM-385DE14H.10(II), TSM-390DE14H.10(II),
TSM-395DE14H.10(II), TSM-400DE14H.10(II), TSM-405DE14H.10(II),
TSM-410DE14H.10(II);

TSM-335DE14H.18(II), TSM-340DE14H.18(II), TSM-345DE14H.18(II),
TSM-350DE14H.18(II), TSM-355DE14H.18(II), TSM-360DE14H.18(II),
TSM-365DE14H.18(II), TSM-370DE14H.18(II), TSM-375DE14H.18(II),
TSM-380DE14H.18(II), TSM-385DE14H.18(II), TSM-390DE14H.18(II),
TSM-395DE14H.18(II), TSM-400DE14H.18(II), TSM-405DE14H.18(II),
TSM-410DE14H.18(II)



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

