

CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

Issued to: Trina Solar Co.,Ltd
No.2 Tian he Road Trina PV Industrial Park
New District
Changzhou
Jiangsu 213031 CHINA

**This certificate confirms that
representative samples of**

PHOTOVOLTAIC MODULES AND PANELS WITH
SYSTEM VOLTAGE RATINGS OVER 600 VOLTS
See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety: UL 1703 and ULC/ORD-C1703-01, Flat-Plate Photovoltaic
Modules and Panels.

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models:

TSM-245PE05A, TSM-250PE05A (*), TSM-255PE05A (*), TSM-260PE05A (*), TSM-265PE05A (*), TSM-270PE05A, TSM-275PE05A, TSM-280PE05A, TSM-285PE05A, TSM-290PE05A, TSM-295PE05A, TSM-300PE05A;

TSM-245PE05A.05, TSM-250PE05A.05, TSM-255PE05A.05, TSM-260PE05A.05, TSM-265PE05A.05, TSM-270PE05A.05, TSM-275PE05A.05, TSM-280PE05A.05, TSM-285PE05A.05, TSM-290PE05A.05, TSM-295PE05A.05, TSM-300PE05A.05; TSM-245PE05A.05(II), TSM-250PE05A.05(II), TSM-255PE05A.05(II), TSM-260PE05A.05(II), TSM-265PE05A.05(II), TSM-270PE05A.05(II), TSM-275PE05A.05(II), TSM-280PE05A.05(II), TSM-285PE05A.05(II), TSM-290PE05A.05(II), TSM-295PE05A.05(II), TSM-300PE05A.05(II);

TSM-245PE05A.08, TSM-250PE05A.08 (*), TSM-255PE05A.08 (*), TSM-260PE05A.08 (*), TSM-265PE05A.08 (*), TSM-270PE05A.08, TSM-275PE05A.08, TSM-280PE05A.08, TSM-285PE05A.08, TSM-290PE05A.08, TSM-295PE05A.08, TSM-300PE05A.08;

TSM-290PE14A, TSM-295PE14A, TSM-300PE14A (*), TSM-305PE14A (*), TSM-310PE14A (*), TSM-315PE14A (*), TSM-320PE14A, TSM-325PE14A, TSM-330PE14A, TSM-335PE14A, TSM-340PE14A, TSM-345PE14A, TSM-350PE14A, TSM-355PE14A, TSM-360PE14A;

TSM-290PE14A.05, TSM-295PE14A.05, TSM-300PE14A.05, TSM-305PE14A.05, TSM-310PE14A.05, TSM-315PE14A.05, TSM-320PE14A.05, TSM-325PE14A.05, TSM-330PE14A.05, TSM-335PE14A.05, TSM-340PE14A.05, TSM-345PE14A.05, TSM-350PE14A.05, TSM-355PE14A.05, TSM-360PE14A.05; TSM-290PE14A.05(II), TSM-295PE14A.05(II), TSM-300PE14A.05(II), TSM-305PE14A.05(II), TSM-310PE14A.05(II), TSM-315PE14A.05(II), TSM-320PE14A.05(II), TSM-325PE14A.05(II), TSM-330PE14A.05(II), TSM-335PE14A.05(II), TSM-340PE14A.05(II), TSM-345PE14A.05(II), TSM-350PE14A.05(II), TSM-355PE14A.05(II), TSM-360PE14A.05(II);

TSM-290PE14A.08, TSM-295PE14A.08, TSM-300PE14A.08 (*), TSM-305PE14A.08 (*), TSM-310PE14A.08 (*), TSM-315PE14A.08 (*), TSM-320PE14A.08, TSM-325PE14A.08, TSM-330PE14A.08, TSM-335PE14A.08, TSM-340PE14A.08, TSM-345PE14A.08, TSM-350PE14A.08, TSM-355PE14A.08, TSM-360PE14A.08;

TSM-260DE05A(II), TSM-265DE05A(II), TSM-270DE05A(II), TSM-275DE05A(II), TSM-280DE05A(II), TSM-285DE05A(II), TSM-290DE05A(II), TSM-295DE05A(II), TSM-300DE05A(II), TSM-305DE05A(II), TSM-310DE05A(II), TSM-315DE05A(II), TSM-320DE05A(II), TSM-325DE05A(II), TSM-330DE05A(II), TSM-335DE05A(II);



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

TSM-260DE05A.05(II), TSM-265DE05A.05(II), TSM-270DE05A.05(II), TSM-275DE05A.05(II), TSM-280DE05A.05(II), TSM-285DE05A.05(II), TSM-290DE05A.05(II), TSM-295DE05A.05(II), TSM-300DE05A.05(II), TSM-305DE05A.05(II), TSM-310DE05A.05(II), TSM-315DE05A.05(II), TSM-320DE05A.05(II), TSM-325DE05A.05(II), TSM-330DE05A.05(II), TSM-335DE05A.05(II);

*TSM-260DE05A.08(II), TSM-265DE05A.08(II), TSM-270DE05A.08(II), TSM-275DE05A.08(II), TSM-280DE05A.08(II), TSM-285DE05A.08(II), TSM-290DE05A.08(II), TSM-295DE05A.08(II), TSM-300DE05A.08(II), TSM-305DE05A.08(II), TSM-310DE05A.08(II), TSM-315DE05A.08(II), TSM-320DE05A.08(II), TSM-325DE05A.08(II), TSM-330DE05A.08(II), TSM-335DE05A.08(II);

TSM-315DE14A(II), TSM-320DE14A(II), TSM-325DE14A(II), TSM-330DE14A(II), TSM-335DE14A(II), TSM-340DE14A(II), TSM-345DE14A(II), TSM-350DE14A(II), TSM-355DE14A(II), TSM-360DE14A(II), TSM-365DE14A(II), TSM-370DE14A(II), TSM-375DE14A(II), TSM-380DE14A(II), TSM-385DE14A(II), TSM-390DE14A(II), TSM-395DE14A(II);

TSM-315DE14A.05(II), TSM-320DE14A.05(II), TSM-325DE14A.05(II), TSM-330DE14A.05(II), TSM-335DE14A.05(II), TSM-340DE14A.05(II), TSM-345DE14A.05(II), TSM-350DE14A.05(II), TSM-355DE14A.05(II), TSM-360DE14A.05(II), TSM-365DE14A.05(II), TSM-370DE14A.05(II), TSM-375DE14A.05(II), TSM-380DE14A.05(II), TSM-385DE14A.05(II), TSM-390DE14A.05(II), TSM-395DE14A.05(II);

TSM-315DE14A.08(II), TSM-320DE14A.08(II), TSM-325DE14A.08(II), TSM-330DE14A.08(II), TSM-335DE14A.08(II), TSM-340DE14A.08(II), TSM-345DE14A.08(II), TSM-350DE14A.08(II), TSM-355DE14A.08(II), TSM-360DE14A.08(II), TSM-365DE14A.08(II), TSM-370DE14A.08(II), TSM-375DE14A.08(II), TSM-380DE14A.08(II), TSM-385DE14A.08(II), TSM-390DE14A.08(II), TSM-395DE14A.08(II);

TSM-255PE05H, TSM-260PE05H, TSM-265PE05H, TSM-270PE05H, TSM-275PE05H, TSM-280PE05H, TSM-285PE05H, TSM-290PE05H, TSM-295PE05H, TSM-300PE05H, TSM-305PE05H, TSM-310PE05H; TSM-255PE05H(II), TSM-260PE05H(II), TSM-265PE05H(II), TSM-270PE05H(II), TSM-275PE05H(II), TSM-280PE05H(II), TSM-285PE05H(II), TSM-290PE05H(II), TSM-295PE05H(II), TSM-300PE05H(II), TSM-305PE05H(II), TSM-310PE05H(II);

TSM-255PE05H.05, TSM-260PE05H.05, TSM-265PE05H.05, TSM-270PE05H.05, TSM-275PE05H.05, TSM-280PE05H.05, TSM-285PE05H.05, TSM-290PE05H.05, TSM-295PE05H.05, TSM-300PE05H.05, TSM-305PE05H.05, TSM-310PE05H.05; TSM-255PE05H.05(II), TSM-260PE05H.05(II), TSM-265PE05H.05(II), TSM-270PE05H.05(II), TSM-275PE05H.05(II), TSM-280PE05H.05(II), TSM-285PE05H.05(II), TSM-290PE05H.05(II), TSM-295PE05H.05(II), TSM-300PE05H.05(II), TSM-305PE05H.05(II), TSM-310PE05H.05(II);



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

TSM-255PE05H.08, TSM-260PE05H.08, TSM-265PE05H.08, TSM-270PE05H.08, TSM-275PE05H.08, TSM-280PE05H.08, TSM-285PE05H.08, TSM-290PE05H.08, TSM-295PE05H.08, TSM-300PE05H.08, TSM-305PE05H.08, TSM-310PE05H.08;

TSM-255PE05H.08(II), TSM-260PE05H.08(II), TSM-265PE05H.08(II), TSM-270PE05H.08(II), TSM-275PE05H.08(II), TSM-280PE05H.08(II), TSM-285PE05H.08(II), TSM-290PE05H.08(II), TSM-295PE05H.08(II), TSM-300PE05H.08(II), TSM-305PE05H.08(II), TSM-310PE05H.08(II);

TSM-255PE05H.10, TSM-260PE05H.10, TSM-265PE05H.10, TSM-270PE05H.10, TSM-275PE05H.10, TSM-280PE05H.10, TSM-285PE05H.10, TSM-290PE05H.10, TSM-295PE05H.10, TSM-300PE05H.10, TSM-305PE05H.10, TSM-310PE05H.10;

TSM-255PE05H.10(II), TSM-260PE05H.10(II), TSM-265PE05H.10(II), TSM-270PE05H.10(II), TSM-275PE05H.10(II), TSM-280PE05H.10(II), TSM-285PE05H.10(II), TSM-290PE05H.10(II), TSM-295PE05H.10(II), TSM-300PE05H.10(II), TSM-305PE05H.10(II), TSM-310PE05H.10(II);

TSM-255PE05H.18, TSM-260PE05H.18, TSM-265PE05H.18, TSM-270PE05H.18, TSM-275PE05H.18, TSM-280PE05H.18, TSM-285PE05H.18, TSM-290PE05H.18, TSM-295PE05H.18, TSM-300PE05H.18, TSM-305PE05H.18, TSM-310PE05H.18;

TSM-255PE05H.18(II), TSM-260PE05H.18(II), TSM-265PE05H.18(II), TSM-270PE05H.18(II), TSM-275PE05H.18(II), TSM-280PE05H.18(II), TSM-285PE05H.18(II), TSM-290PE05H.18(II), TSM-295PE05H.18(II), TSM-300PE05H.18(II), TSM-305PE05H.18(II), TSM-310PE05H.18(II);

TSM-305PE14H, TSM-310PE14H, TSM-315PE14H, TSM-320PE14H, TSM-325PE14H, TSM-330PE14H, TSM-335PE14H, TSM-340PE14H, TSM-345PE14H, TSM-350PE14H, TSM-355PE14H, TSM-360PE14H, TSM-365PE14H, TSM-370PE14H; TSM-305PE14H(II), TSM-310PE14H(II), TSM-315PE14H(II), TSM-320PE14H(II), TSM-325PE14H(II), TSM-330PE14H(II), TSM-335PE14H(II), TSM-340PE14H(II), TSM-345PE14H(II), TSM-350PE14H(II), TSM-355PE14H(II), TSM-360PE14H(II), TSM-365PE14H(II), TSM-370PE14H(II);

TSM-305PE14H.05, TSM-310PE14H.05, TSM-315PE14H.05, TSM-320PE14H.05, TSM-325PE14H.05, TSM-330PE14H.05, TSM-335PE14H.05, TSM-340PE14H.05, TSM-345PE14H.05, TSM-350PE14H.05, TSM-355PE14H.05, TSM-360PE14H.05, TSM-365PE14H.05, TSM-370PE14H.05; TSM-305PE14H.05(II), TSM-310PE14H.05(II), TSM-315PE14H.05(II), TSM-320PE14H.05(II), TSM-325PE14H.05(II), TSM-330PE14H.05(II), TSM-335PE14H.05(II), TSM-340PE14H.05(II), TSM-345PE14H.05(II), TSM-350PE14H.05(II), TSM-355PE14H.05(II), TSM-360PE14H.05(II), TSM-365PE14H.05(II), TSM-370PE14H.05(II);



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

TSM-305PE14H.08, TSM-310PE14H.08, TSM-315PE14H.08, TSM-320PE14H.08, TSM-325PE14H.08, TSM-330PE14H.08, TSM-335PE14H.08, TSM-340PE14H.08, TSM-345PE14H.08, TSM-350PE14H.08, TSM-355PE14H.08, TSM-360PE14H.08, TSM-365PE14H.08, TSM-370PE14H.08; TSM-305PE14H.08(II), TSM-310PE14H.08(II), TSM-315PE14H.08(II), TSM-320PE14H.08(II), TSM-325PE14H.08(II), TSM-330PE14H.08(II), TSM-335PE14H.08(II), TSM-340PE14H.08(II), TSM-345PE14H.08(II), TSM-350PE14H.08(II), TSM-355PE14H.08(II), TSM-360PE14H.08(II), TSM-365PE14H.08(II), TSM-370PE14H.08(II);

TSM-305PE14H.10, TSM-310PE14H.10, TSM-315PE14H.10, TSM-320PE14H.10, TSM-325PE14H.10, TSM-330PE14H.10, TSM-335PE14H.10, TSM-340PE14H.10, TSM-345PE14H.10, TSM-350PE14H.10, TSM-355PE14H.10, TSM-360PE14H.10, TSM-365PE14H.10, TSM-370PE14H.10; TSM-305PE14H.10(II), TSM-310PE14H.10(II), TSM-315PE14H.10(II), TSM-320PE14H.10(II), TSM-325PE14H.10(II), TSM-330PE14H.10(II), TSM-335PE14H.10(II), TSM-340PE14H.10(II), TSM-345PE14H.10(II), TSM-350PE14H.10(II), TSM-355PE14H.10(II), TSM-360PE14H.10(II), TSM-365PE14H.10(II), TSM-370PE14H.10(II);

TSM-305PE14H.18, TSM-310PE14H.18, TSM-315PE14H.18, TSM-320PE14H.18, TSM-325PE14H.18, TSM-330PE14H.18, TSM-335PE14H.18, TSM-340PE14H.18, TSM-345PE14H.18, TSM-350PE14H.18, TSM-355PE14H.18, TSM-360PE14H.18, TSM-365PE14H.18, TSM-370PE14H.18; TSM-305PE14H.18(II), TSM-310PE14H.18(II), TSM-315PE14H.18(II), TSM-320PE14H.18(II), TSM-325PE14H.18(II), TSM-330PE14H.18(II), TSM-335PE14H.18(II), TSM-340PE14H.18(II), TSM-345PE14H.18(II), TSM-350PE14H.18(II), TSM-355PE14H.18(II), TSM-360PE14H.18(II), TSM-365PE14H.18(II), TSM-370PE14H.18(II);

TSM-275DE05H(II), TSM-280DE05H(II), TSM-285DE05H(II), TSM-290DE05H(II), TSM-295DE05H(II), TSM-300DE05H(II), TSM-305DE05H(II), TSM-310DE05H(II), TSM-315DE05H(II), TSM-320DE05H(II), TSM-325DE05H(II), TSM-330DE05H(II), TSM-335DE05H(II), TSM-340DE05H(II);

TSM-275DE05H.05(II), TSM-280DE05H.05(II), TSM-285DE05H.05(II), TSM-290DE05H.05(II), TSM-295DE05H.05(II), TSM-300DE05H.05(II), TSM-305DE05H.05(II), TSM-310DE05H.05(II), TSM-315DE05H.05(II), TSM-320DE05H.05(II), TSM-325DE05H.05(II), TSM-330DE05H.05(II), TSM-335DE05H.05(II), TSM-340DE05H.05(II);

TSM-275DE05H.08(II), TSM-280DE05H.08(II), TSM-285DE05H.08(II), TSM-290DE05H.08(II), TSM-295DE05H.08(II), TSM-300DE05H.08(II), TSM-305DE05H.08(II), TSM-310DE05H.08(II), TSM-315DE05H.08(II), TSM-320DE05H.08(II), TSM-325DE05H.08(II), TSM-330DE05H.08(II), TSM-335DE05H.08(II), TSM-340DE05H.08(II);



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

TSM-275DE05H.10(II), TSM-280DE05H.10(II), TSM-285DE05H.10(II),
TSM-290DE05H.10(II), TSM-295DE05H.10(II), TSM-300DE05H.10(II),
TSM-305DE05H.10(II), TSM-310DE05H.10(II), TSM-315DE05H.10(II),
TSM-320DE05H.10(II), TSM-325DE05H.10(II), TSM-330DE05H.10(II),
TSM-335DE05H.10(II), TSM-340DE05H.10(II);

TSM-275DE05H.18(II), TSM-280DE05H.18(II), TSM-285DE05H.18(II),
TSM-290DE05H.18(II), TSM-295DE05H.18(II), TSM-300DE05H.18(II),
TSM-305DE05H.18(II), TSM-310DE05H.18(II), TSM-315DE05H.18(II),
TSM-320DE05H.18(II), TSM-325DE05H.18(II), TSM-330DE05H.18(II),
TSM-335DE05H.18(II), TSM-340DE05H.18(II);

TSM-335DE14H(II), TSM-340DE14H(II), TSM-345DE14H(II), TSM-350DE14H(II),
TSM-355DE14H(II), TSM-360DE14H(II), TSM-365DE14H(II), TSM-370DE14H(II),
TSM-375DE14H(II), TSM-380DE14H(II), TSM-385DE14H(II), TSM-390DE14H(II),
TSM-395DE14H(II), TSM-400DE14H(II), TSM-405DE14H(II), TSM-410DE14H(II);

TSM-335DE14H.05(II), TSM-340DE14H.05(II), TSM-345DE14H.05(II),
TSM-350DE14H.05(II), TSM-355DE14H.05(II), TSM-360DE14H.05(II),
TSM-365DE14H.05(II), TSM-370DE14H.05(II), TSM-375DE14H.05(II),
TSM-380DE14H.05(II), TSM-385DE14H.05(II), TSM-390DE14H.05(II),
TSM-395DE14H.05(II), TSM-400DE14H.05(II), TSM-405DE14H.05(II),
TSM-410DE14H.05(II);

TSM-335DE14H.08(II), TSM-340DE14H.08(II), TSM-345DE14H.08(II),
TSM-350DE14H.08(II), TSM-355DE14H.08(II), TSM-360DE14H.08(II),
TSM-365DE14H.08(II), TSM-370DE14H.08(II), TSM-375DE14H.08(II),
TSM-380DE14H.08(II), TSM-385DE14H.08(II), TSM-390DE14H.08(II),
TSM-395DE14H.08(II), TSM-400DE14H.08(II), TSM-405DE14H.08(II),
TSM-410DE14H.08(II);

TSM-335DE14H.10(II), TSM-340DE14H.10(II), TSM-345DE14H.10(II),
TSM-350DE14H.10(II), TSM-355DE14H.10(II), TSM-360DE14H.10(II),
TSM-365DE14H.10(II), TSM-370DE14H.10(II), TSM-375DE14H.10(II),
TSM-380DE14H.10(II), TSM-385DE14H.10(II), TSM-390DE14H.10(II),
TSM-395DE14H.10(II), TSM-400DE14H.10(II), TSM-405DE14H.10(II),
TSM-410DE14H.10(II);



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

TSM-335DE14H.18(II), TSM-340DE14H.18(II), TSM-345DE14H.18(II),
TSM-350DE14H.18(II), TSM-355DE14H.18(II), TSM-360DE14H.18(II),
TSM-365DE14H.18(II), TSM-370DE14H.18(II), TSM-375DE14H.18(II),
TSM-380DE14H.18(II), TSM-385DE14H.18(II), TSM-390DE14H.18(II),
TSM-395DE14H.18(II), TSM-400DE14H.18(II), TSM-405DE14H.18(II),
TSM-410DE14H.18(II);

For the models as below, "PE06A", "PE15A", "PE06H", "PE15H", "DE06A", "DE15A", "DE06H",
"DE15H" can be followed with ".05", ".08", ".10", ".15" or ".18".


TSM-250PE06A, TSM-255PE06A, TSM-260PE06A, TSM-265PE06A, TSM-270PE06A, TSM-
275PE06A, TSM-280PE06A, TSM-285PE06A, TSM-290PE06A, TSM-295PE06A, TSM-300PE06A;
TSM-250PE06A(II), TSM-255PE06A(II), TSM-260PE06A(II), TSM-265PE06A(II), TSM-270PE06A(II),
TSM-275PE06A(II), TSM-280PE06A(II), TSM-285PE06A(II), TSM-290PE06A(II), TSM-295PE06A(II),
TSM-300PE06A(II);

TSM-295PE15A, TSM-300PE15A, TSM-305PE15A, TSM-310PE15A, TSM-315PE15A, TSM-
320PE15A, TSM-325PE15A, TSM-330PE15A, TSM-335PE15A, TSM-340PE15A, TSM-345PE15A,
TSM-350PE15A, TSM-355PE15A, TSM-360PE15A; TSM-295PE15A(II), TSM-300PE15A(II), TSM-
305PE15A(II), TSM-310PE15A(II), TSM-315PE15A(II), TSM-320PE15A(II), TSM-325PE15A(II), TSM-
330PE15A(II), TSM-335PE15A(II), TSM-340PE15A(II), TSM-345PE15A(II), TSM-350PE15A(II), TSM-
355PE15A(II), TSM-360PE15A(II);

TSM-255PE06H, TSM-260PE06H, TSM-265PE06H, TSM-270PE06H, TSM-275PE06H, TSM-
280PE06H, TSM-285PE06H, TSM-290PE06H, TSM-295PE06H, TSM-300PE06H, TSM-255PE06H(II),
TSM-260PE06H(II), TSM-265PE06H(II), TSM-270PE06H(II), TSM-275PE06H(II), TSM-280PE06H(II),
TSM-285PE06H(II), TSM-290PE06H(II), TSM-295PE06H(II), TSM-300PE06H(II), TSM-305PE06H(II),
TSM-310PE06H(II)

TSM-310PE15H, TSM-315PE15H, TSM-320PE15H, TSM-325PE15H, TSM-330PE15H, TSM-
335PE15H, TSM-340PE15H, TSM-345PE15H, TSM-350PE15H, TSM-355PE15H, TSM-360PE15H,
TSM-365PE15H, TSM-370PE15H, TSM-375PE15H; TSM-310PE15H(II), TSM-315PE15H(II), TSM-
320PE15H(II), TSM-325PE15H(II), TSM-330PE15H(II), TSM-335PE15H(II), TSM-340PE15H(II), TSM-
345PE15H(II), TSM-350PE15H(II), TSM-355PE15H(II), TSM-360PE15H(II), TSM-365PE15H(II), TSM-
370PE15H(II), TSM-375PE15H(II);

TSM-260DE06A(II), TSM-265DE06A(II), TSM-270DE06A(II), TSM-275DE06A(II), TSM-280DE06A(II),
TSM-285DE06A(II), TSM-290DE06A(II), TSM-295DE06A(II), TSM-300DE06A(II); TSM-305DE06A(II);
TSM-310DE06A(II); TSM-315DE06A(II); TSM-320DE06A(II); TSM-325DE06A(II); TSM-330DE06A(II);
TSM-335DE06A(II);



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190530-E306515
Report Reference E306515-20150716
Issue Date 2019-MAY-30

TSM-315DE15A(II), TSM-320DE15A(II), TSM-325DE15A(II), TSM-330DE15A(II), TSM-335DE15A(II),
TSM-340DE15A(II), TSM-345DE15A(II), TSM-350DE15A(II), TSM-355DE15A(II), TSM-360DE15A(II),
TSM-365DE15A(II), TSM-370DE15A(II), TSM-375DE15A(II), TSM-380DE15A(II), TSM-385DE15A(II),
TSM-390DE15A(II), TSM-395DE15A(II);

TSM-275DE06H(II), TSM-280DE06H(II), TSM-285DE06H(II), TSM-290DE06H(II), TSM-295DE06H(II),
TSM-300DE06H(II), TSM-305DE06H(II), TSM-310DE06H(II), TSM-315DE06H(II), TSM-320DE06H(II),
TSM-325DE06H(II), TSM-330DE06H(II), TSM-335DE06H(II), TSM-340DE06H(II);

TSM-335DE15H(II), TSM-340DE15H(II), TSM-345DE15H(II), TSM-350DE15H(II), TSM-355DE15H(II),
TSM-360DE15H(II), TSM-365DE15H(II), TSM-370DE15H(II), TSM-375DE15H(II), TSM-380DE15H(II),
TSM-385DE15H(II), TSM-390DE15H(II), TSM-395DE15H(II), TSM-400DE15H(II), TSM-405DE15H(II),
TSM-410DE15H(II);

(*) – Additionally evaluated in accordance with the requirements of “CEC-300-2012-008-CMF –
Guidelines for California’s Solar Electric Incentive Programs”



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

